single interactive diagram linked generated integrally visually claim patent independent d... Page 1 of 7

 Web
 Images
 Videos
 Maps
 News
 Shopping
 Gmail
 more
 More
 Scholar Preferences | Sign in

 GOOGLE SCHOLAT

 Scholar Scholar Search

 Scholar Articles and patents
 J
 - [2001] Include citations
 ✓
 ✓
 Create email €

System an method for the visual display of data in an interactive split pie chart

H Platiner, K Elflott, M Good, JM Wilson III - US Patent 6,320,586, 2001 - Google Patents

... 3 depicts a block a **diagram** of the present invention. ... the values to be used as inputs for the **visual** display system for the creation of the **interactive** split pie ... The following description will focus on preferred embodi- ment of the invention which is operative in a **single** com- puter ...

Cited by 19 - Related articles - All 2 versions

Ambulatory patient health monitoring techniques utilizing interactive visual communication

D David, Z David - US Patent 5,544,649, 1996 - Google Patents

... 9.is a more detailed block **diagram** of the receiver of 20 FIG. ... condition of a patient by means of instru-30 mentation maintained at the patient's living quarters **linked** through a ... The system is **interactive** since the patient and personnel at the central station may engage in two-way ... Cited by 162 - Related articles - All 6 versions

Method and apparatus for providing a portable visual display

RF Lewis, SF Martin, DA Cone, NA ... - US Patent 5,322,441, 1994 - Google Patents

... Environment Display System" by Fisher et al, ACM 1986 Workshop on Interactive 3D Graphics ... of different types of objects, such as buildings, architectures, wiring diagrams, frames of ... with

a SQUnd ^ u Processor 13 could ^ a single BRIEF DESCRIPTION OF THE DRAWINGS ...

Cited by 55 - Related articles - All 2 versions

Hands-free, user-supported portable computer

EG Newman, GS Christian, MD Jenkins - US Patent 5,305,244, 1994 - Google Patents

... nical manuals, are being replaced by electronic techni- cal manuals (ETM) and Interactive electronic technical ... 11 is a block **diagram** of a display screen operat- ing according to shutter ... The voice output indicator 316, preferably a **single** LED. illuminates to **visually** confirm when ...

Cited by 118 - Related articles - Ali 2 versions

... a three-dimensional video mosaic from which diverse virtual video scene images are synthes including panoramic, scene **interactive** and stereoscopic images

S Moezzi, A Katkere, R Jain - US Patent 5,850,352, 1998 - Google Patents

... of a real-world scene which video images/virtual television are **linked** to any of a ... the traditional 15 computer vision, multimedia database and human interface, **single**-source, broadcast ... timedia systems", appearing in Proceedings of the Workshop Perspective **interactive** Video, or ...

Cited by 178 - Related articles - All 2 versions

Cooperative/interactive learning system for logic instruction

RM Kuczewski - US Patent 5,868,575, 1999 - Goodle Patents

... NOR Flip-Flop Instructional **Diagram 14** ... devices could he used to demonstrate all kinds of physical and non-physical systems in a **Interactive** classroom envi ... consists of numerous interconnected subcomponents each of which can be manually operated by a **single** student who ...

Cited by 46 - Related articles - All 2 versions

System and method for interactively transforming a system or process into a **visual** represental TR Carpenter-Smith, MJ Gombar, JB Fisher, ... - US **Patent** ..., 1998 - Google Patents

... The present invention is an **interactive**, real-time software tool, implemented by a ... at the seat class 624 in PREFERRED EMBODIMENTS the interaction **diagram window** 570, and ... simul- System

"modeling" refers to the representation of a taneously generated three-dimensional ... Cited by 54 - Related articles - All 2 versions

Apparatus and method for providing interactive audio communication

GP Hyalt - US Patent 4.016.540, 1977 - Google Patents

... 5, 1977 [54] APPARATUS AND METHOD FOR PROVIDING INTERACTIVE AUDIO COMMUNICATION [76] Inventor ... digital message information is accessed in response to operator generated signals to provide audio messages, in contrast to the prior art visual messages using ... Cited by 51 - Related articles - All 2 versions

Telephone system integrated text based communication apparatus and systems to establish communication links to TDD and/or TTY devices and other telephone and ... FW Hansen, DL Jennings - US Patent 6,002,749, 1999 - Google Patents

... if the called party desires, then the text server establishes an interactive communication link ... ACCESS™ Coordinates MWI 100 Text Server Text Menuing Message Storage Meridian™ Link 141 Fig ... Server Presents Next Caller in Queue to the Agent as a Visual Representation on ... Cited by 24 - Related articles - All 2 versions

Interactive programming and diagnostic system for use with implantable pacemaker JD Causey III, HC Schloss, JD Snell - US Patent 4,809,697, 1989 - Goodle Patents ... 7. 1989 [54] INTERACTIVE PROGRAMMING AND DIAGNOSTIC SYSTEM FOR USE WITH

EMPLANTABLE PACEMAKER ... 14 Claims, 12 Drawing Sheets (30 APS-I PROCESSING CIRCUITS 8 MEMORY ... Patent Sheet 1 of 12 4,809,697 (JO (40 APS-H PROCESSING CIRCUITS ...

Cited by 225 - Related articles - Ali 4 versions

Method and apparatus for detecting actual viewing or electronic advertisements

MA Himmel, V Berstis - US Patent 6,279,036, 2001 - Google Patents

... using the functionality provided by a HyperText Transfer Protocol (HTTP), or other interactive protocol (eg ... a communications medium, thus peripheral devices, one bit at a time over a single line ... 7, a diagram is shown illustrating in greater detail the Advertisement Control Plu- gin ... Cited by 35 - Related articles - All 4 versions

Interactive video system having frame recall dependent upon user input and current displayed image

JA Ashbey - US Patent 5,636,036, 1997 - Google Patents

... Although outline imagery is the result, Interactive video systems are becoming increasingly see FIG. ... In this specification the system will be generated images are aesthetically unsatisfying line outlines ... can be put but is multiple video disc system as the visual image database. ... Cited by 25 - Related articles - All 2 versions

Interactive tool for knowledge-based support of planning under uncertainty DW Glasspool, JP Fox - US Patent App. 09/760,392, 2001 - Google Patents

... The utility of such systems in planning tasks is limited, however, in that they typically provide support for a single decision rather than for a set of interrelated decisions as may be ... 1 is a schematic block diagram of the various components of an interactive planning tool ... All 4 yersions

Control structure for a document processing system

JL Cooper - US Patent 4,633,430, 1986 - Google Patents

... of 2J tines and, together with an associated document buffer smaller, interactive units, each ... and assigned to Wang Laboratories, Inc., P°rates means for referencing visual, descriptive and ... 1 is a block diagram representation of a system incorporating the present invention; FIG. ...

Cited by 66 - Related articles - All 2 versions

Development system and methods for visually creating goal oriented electronic form application having decision trees

WM Turpin - US Patent 5.640,501, 1997 - Google Patents

... Smith, "Visual Programming in the Interface Construction Set", 1988, pp. ... 9 Claims, 25 Drawing Sheets ... 17, 1997 Sheet 3 of 25 300 APPLICATION PROGRAM FORM TOOL (FORM CREATION) TREE TOOL (FORM CREATION) LINK TOOL (FORM CREATION) STACK TOOL ...

Cited by 44 - Related articles - All 2 versions

Industrial process control system

BR Slater, DW Simpson, CT Carroll - US Patent 4,413,314, 1983 - Google Patents ... 95.678 ^_A_U_T_0 _j AUTO AUTO MANUAL AUTO V-TCASAD~E~" CASCADE CASCADE SINGLE CASCADE ALT ... u stm anQther object of ^ en{ invention to trial process in which interactive control by ... 17 is a flow diagram representing an instruction set for entering analog-type ... Cited by 159 - Related articles - All 4 versions

Television signal activated interactive smart card system

FR Nemirofsky - US Patent 5,767,896, 1998 - Google Patents

... telephone-like systems which must synchronize data for many video channels with the single data channel. ... pick-up device near and facing the television receiver as a new interactive method of ... 1 is a block diagram illustrating the communication links in the present invention; ... Cited by 53 - Related articles - All 6 versions

Computer-directed process control system with interactive display functions

NO Cromwell - US Patent 3,971,000, 1976 - Google Patents

... Patent [in 3,971,000 Cromwell [45] July 20, 1976 [54] COMPUTER-DIRECTED PROCESS CONTROL SYSTEM WITH INTERACTIVE DISPLAY FUNCTIONS ... 11 Claims, 23 Drawing Figures ... US Patent July 20, 1976 Sheet 1 of 17 3,971,000 7 INPUT OUTPUT BULK f>/fr/f AMD , X ... Cited by 51 - Related articles - All 2 versions

Analytical imaging system and process

RB Silver - US Patent 6,078,681, 2000 - Google Patents

... 2-3 are block diagrams that illustrate the components of FIG. ... Controller 100 causes a monochromatic source 50 to generate light with a single wavelength preferably a fiber ... for server 16, serves as the primary local unit for image processing, analysis, and interactive graphics, ... Cited by 54 - Related articles - All 4 versions

Component-based analog and mixed-signal simulation model development including newton stmanager

HA Mantooth, DK Cooper, M Vlach - US Patent 6,236,956, 2001 - Google Patents

... The Model Editor (106) includes a Newton step manager as an interactive, graphical tool. ... 20 Claims, 20 Drawing Sheets 102 ! ... US Patent US 6,236,956 BI May 22, 2001 Sheet 8 of 20 (JTART MATRIX VIEWER 1204 SWITCH BASED ON USER COMMAND/MÉNU SELECTION ... Cited by 24 - Related articles - All 2 versions

Method and system for equalizing PMD using incremental delay switching

J Fee, N Robinson - US Patent 5,859,939, 1999 - Google Patents

... Serrano. Evolution of a Hybrid Fibre Coaxial Network for Multimedia Interactive Services, Oct. ... 6 is a block diagram of a PMD simulator in accordance with a preferred ... As described above, 55 since light signals transmitted through a single mode fiber experience polarization that ... Cited by 40 - Related articles - All 4 versions

Application of multi-media technology to nutrition education and diet planning

NJ Kuch - US Patent 5,454,721, 1995 - Google Patents

... Frequently it is impractical to calculate a single portion without emptying 25 the entire contents of the package. ... 2 is a block diagram of a self-contained interactive data handling

system which may be employed in the practice of this invention; FIG. ...

Cited by 47 - Related articles - All 2 versions

Method, system & apparatus for interactive multimedia remote processor control, diagnostics a maintenance

M Kiesel, A Polz, P Wagner - US Patent App. 09/938.447, 2001 - Google Patents

... [0010] Another object of the present invention is to pro-vide an interactive system and ... 6 is a schematic diagram of a service system with a UMTS-network with multiple service ... [0031] In the definition of UMTS, broadband a type of data transmission in which a single medium (wire ...

All 2 versions

Expert system and method employing hierarchical knowledge base, and interactive multimedia/hypermedia applications

A Hekmatpour - US Patent 5,806,056, 1998 - Google Patents

... Further, interactive multimedia/hypermedia systems and methods are presented, which might be expert system based. ... 1 Claim, 27 Drawing Sheets STRUCTURAL LEVEL ACTION LEVEL Page 2. ... Page 16. US Patent 5,806,056 Sep. ...

Cited by 136 - Related articles - Alt 4 versions

Interactive television browsing and buying method

M Abrahams - US Patent App. 09/796,286, 2001 - Google Patents

... The apparatus can be used to select a single product, all currently displayed products ... 1, a block diagram for an exem-plary interactive cable or satellite television (TV ... with the actors, games, advertisements, available merchandise, associated Web pages, interactive games and ... All 2 versions

Interactive health care system and method

AJ Hinkle - US Patent 6,190,313, 2001 - Google Patents

... with an evaluation of such health status to allow the patient to take an interactive role in ... The sensors can be provided with memory and linked together with other sensors and instruments to pro ... For a patient site data processing unit which is dedicated to a single patient, a spread ... Cited by 16 - Related articles - All 2 versions

Method of saving a web page to a local hard drive to enable client-side browsing ML Mantha, MM Modh, S Radhakrishnan, V ... - US Patent ..., 2000 - Google Patents

... A first linked list of the hypertext references in the base document is then generated. ... When the user desires to retrieve the copy, a link to the pointer is activated. ... 3 is a block diagram of the major components of the data processing system unit; FIG. ...

Cited by 58 - Related articles - All 2 versions

Component-based analog and mixed-signal simulation model development

HA Mantooth, CM Wolff - US Patent 5,963,724, 1999 - Google Patents

... Sample point manager, newton step manager and matrix element stamp analysis are all new, interactive, graphical, intuitive tools. Finally, the user can perform a simulation on the model. 20 Claims, 23 Drawing Sheets 108 104 Page 2. ... 11 Page 12. US Patent Oct. ...

Cited by 32 - Related articles - All 2 versions

Method and apparatus for controlling client access to documents

MA Himmel, V Berstis - US Patent 6,321,256, 2001 - Google Patents

... one another using the functionality provided by a HyperText Transfer Protocol (HTTP), or other interactive protocol (eg ... or between a computer and peripheral devices, one bit at a time over a single line. ... 4, a detailed block diagram is shown of the client/server architecture of FIG. ...

Cited by 28 - Related articles - All 3 versions

Interactive voice recognition digital clock

TG Guvett, MH Reeves, SB Hobbs - US Patent 6,310,833, 2001 - Google Patents

... According to one embodiment of this patent, a single ended and push/pull transformer power ... 5.657.380 issued to Todd F. Mozer and entitled "Interactive Door Answering and Messaging Device 65 With ... having an interior unit and an exterior unit that communicate via an RF link. ... Cited by 6 - Related articles - All 3 versions

Image display processor for graphics workstation

J Gonzalez-Lopez - US Patent 4,862,154, 1989 - Google Patents

... However, because it has a single frame buffer its employs video line buffers for storage. ... 4,367,466 describes a display control having interactive color addressing which includes two 35 apparatus for a ... 12 is a block diagram of an image display pro- if "real" time response is to be ...

Cited by 34 - Related articles - All 2 versions

Method and apparatus for gaming machines with a quasi-competition play bonus feature MA McClintic - US Patent App. 10/027.888, 2001 - Google Patents

... of the present invention are linked over a network to enable interactive bonus game ... all simulated con- tests taking place concurrently on any of the linked gaming machines ... be encouraged to play at the gaming machines of the invention, thus increasing revenues generated. ...

Cited by 16 - Related articles - All 4 versions

Interface unit for an electrophysiological monitoring system

T Ohisson - US Patent App. 09/801,545, 2001 - Google Patents

... 4 is a schematic diagram illustrating an alternative electrophysiological measuring system in accordance with ... or all of the individual units may be provided in a single physical unit ... may be modified to additionally receive input wires from other patient interactive elements (ECG ...

Cited by 3 - Related articles - All 4 versions

Interactive communication system for communicating video game and karaoke software

T Okamoto - US Patent App. 09/734,469, 2000 - Google Patents

... 0006] Wherefore, an object of this invention is to provide an interactive communication system ... user system, a decryption authorization key and associated access definition generated and stored ... 1 is a block diagram of a communication terminal device according to the present ... Cited by 27 - Related articles - All 4 versions

Thickness measuring system for nonconducting materials

S Mulkey, P Corriea, E Killian, G Lowry - US Patent 5,138,268, 1992 - Google Patents

... 15 FIGS ^ ^ and vdepict the informational flow Pr°be- chart for the computer interactive mode of ... is to anal>'sl.s *vKstem' an of^or output frequency pulse J . . J ... generated by passing ... The second capacitance plate 16 is linked or electrically coupled to an oscillator (the oscillator ...

Cited by 13 - Related articles - All 2 versions

Intelligent recognition

A McAllister, J Curry, F Meador - US Patent 5,666,400, 1997 - Goodie Patents

... the algorithms of imUtiple vendors within 15 fm ^^ ^ oaamms wd CTeati audit a single bus architecture ... 8 is a flow diagram illustrating interaction in the 3° fields for a variety of ... Texas Instruments, Northern Telecom, Dialogic, Voice Pro- office of the network via CCIS link and STP ... Cited by 54 - Related articles - All 2 versions

Graphics data processor with window checking for determining whether a point is within a wind KW Guttag, MD Asal, MF Novak - US Patent 5,077,678, 1991 - Goode Patents

... Foley, James D. and Van Dam, Andrias, Fundamentals of Interactive Computer Graphics, 1982. pp. ... In a first embodiment a single data processing instruction enables the generation of a ... 6, 1985. entitled "Linked Cell Dis- charge Detector Having Improved Response Time" by ...

Cited by 15 - Related articles - All 2 versions

Method for establishing a price of an entertainment event by group concensus

MK Eyer, MS Chang, A Krishnan, AM ... - US Patent App. 09/ ... 2001 - Goode Patents

... 2, a block diagram for an exemplary interactive cable or satellite television (TV) sys ... with the actors, games, advertisements, available merchandise, associated Web pages, interactive games and ...

The subscriber information database 19 is linked or related to the program listing ...

All 2 versions

Apparatus and method for producing a digitized transaction record including an encrypted signs MA Kapp, Rt. Protheroe, A Onega - US Patent 5,195,133, 1993 - Google Patents

... Electrical signals from the interactive element 46 relating to movement of the stylus 26 on the ...

A point of sale system using the present invention is illustrated in block diagram form in ... tion code

are subjected to an exclusive OR operation (XOR) to obtain a single word encryption ...

Cited by 63 - Related articles - All 4 versions

Mouse driver arrangement for providing advanced scrolling capabilities to a conventional mouse FD Falcon - US Patent 5.633,657, 1997 - Google Patents

... initial time-out expires and an SRFG cycle begins (as explained later on herein, in relation to

the flow diagram 65 of ... 22 (for single-step scrolling ... generated by wilen the scrolling mouse disclosed

in the referenced patent incremental scrolling commands generator 26 is linked to is ...

Cited by 29 - Related articles - All 2 versions

Computer with integrated hierarchical representation (IHR) of program wherein IHR file is availafor debugging and optimizing during target execution

DA Van Dyke, TJ Cramer, JC Rasbold, TO ... - US Patent ... 1992 - Google Patents

... The integrated hierarchical representation (IHR) is language independent and is shared by all of the components of the software ... 18 Claims, 16 Drawing Sheets 221 FORTRAN IFORTRAN 215 - DISASSEMBLER COMPILATION ADVISOR .231 216- ^. ... US Patent 5.175.856 Dec. ...

Cited by 130 - Related enticles - All 2 versions

Formatting text/graphics using plural independent formatting mechanisms

GM Bartlett, JP Hofmeister, EJ Pring - US Patent 4,539,653, 1985 - Google Patents ... receiving areas are selec- tively assignable to the logical pages of a document being formatted

for visual presentation and ... 62 Claims, 23 Drawing Figures 13- IO ... Many text composers 30 are interactive, that is, an operator makes most or all of decisions with the machine carrying ...

Cited by 69 - Related articles - All 2 versions

Computer human interface comprising user-adjustable window for displaying or printing inform FC Kolnick - US Patent 5,062,060, 1991 - Google Patents

... 2 shows a block diagram illustrating a multiple network, distributed message-based data processing system of the ... While a single node may comprise all of the above units, in the typical user ... Data exchange occurs through a dual- ported buffer pool which contains a linked list of ... Cited by 111 - Related articles - All 2 versions

Automotive GPS control system

MD Klanke - US Patent 6,313,791, 2001 - Google Patents

... 1 is a schematic block diagram showing a GPS responsive system installed on board a car ... A single cabinet is preferred, but the devices making up the present system can be scattered ... note that the operation on multiple routes enables the vehicle to be an interactive link in the ...

Cited by 42 - Related articles - All 2 versions

Adept data processor implementing function similation with inverse deviation variation weighting LS Chandler - US Patent 6,181,976, 2001 - Goode Patents

... 09, 1997.* Tzes et al., "adaptive Fuzzy Control For Flexible-Link Manipulators: a ... PROCESS IMPLEMENTATION SYSTEM 213 OPTION MODIFIER 210 OPTION LIMITER 212 INTERACTIVE DATA SIMULATION ... errors in variables which are included in more than a single term of ...

Cited by 3 - Related articles - All 2 versions

Method and system in display device interface for managing surface memory GE Engstrom, CG Eisler - US Patent 5,801,717, 1998 - Google Patents

... usually not favored because it is erals is critical to achieving a highly interactive and realistic ... a complex flipping registers 34 and control unit 36 or may be a single device in ... This diagram illustrates relation- include a communication device 25 and an auxiliary pro- smps between ... Cited by 27 - Related articles - All 3 versions

System for remote monitoring of personnel

SC Jacobsen, R Wyatt, SC Peterson, TJ ... - US Patent ... 2001 - Google Patents

... 91 Claims, 11 Drawing Sheets ... For example, such monitors typically monitor a single vital sign, such as heart rate, or temperature. ... This can be accomplished either by the remote communications system of the soldier unit, or by a direct link-up between the soldier unit and the ... Cited by 123 - Related articles - All 2 versions

Time inheritance scene graph for representation of media content

MT French, JS Robotham - US Patent App. 69/875.276, 2001 - Google Patents

... link Operator I -EJ- Operator 2 input link input link Operator macro ... motion pictures, television programs and commercials, multimedia presenta- tions, interactive games, internet ... interpretation tech- niques and then proceeding to combine computer-generated abstract elements ... Related articles - All 6 versions

Process for identifying simple and complex objects from fused images and map data S Hsu - US Patent 5.631,970, 1997 - Goodle Patents

... advantageous to provide an expert system Geographical Information System (GIS), and includes "an (interactive or automated ... 3 is a block diagram depicting the image and map incapable of solving the above ... This need not be a single line; several oblique lines may contribute. ... Cited by 34 - Related articles - All 2 versions

Material consolidation modeling and control system

CJ Coe, EA Godfrey, BL Henniges, DW O'brien ... - US Patent ..., 1993 - Google Patents ... 7 Claims, 23 Drawing Sheets •32 HIP CHAMBER PRESSURE AND TEMPERATURE 28 2« PRESSURE AND TEMPERATURE SCH 22 PID ... US Patent 5,202,837 Apr. ... IS DENSITY LESS THAN .85 9 DETERMINE INTERSECTION POINT 1 1 P PRIME P SINGLE QUOTE (A = .9) F ... Cited by 25 - Related articles - All 4 versions

Create email alert



single interactive diagram linked ger Search

Go to Google Home - About Google - About Google Scholar

©2010 Google